

| | |
|--|----|
| Abortiporus biennis (Bull.) Singer | 3 |
| Abortiporus fractipes (Berk. & M.A. Curtis) Gilb. & Ryvarde | 1 |
| Albatrellus citrinus Ryman | 3 |
| Albatrellus confluens (Alb. & Schwein.) Kotl. & Pouzar | 1 |
| Albatrellus cristatus (Schaeff.) Kotl. & Pouzar | 1 |
| Albatrellus ovinus (Schaeff.) Kotl. & Pouzar | 2 |
| Albatrellus pes-caprae (Pers.) Pouzar | 1 |
| Albatrellus subrubescens (Murrill) Pouzar | 1 |
| Amylocystis lapponica (Romell) Bondartsev & Singer | 2 |
| Amylosporus campbellii (Berk.) Ryvarde | 4 |
| Anomoloma albolutescens (Romell) Niemelä & K.H. Larss. | 1 |
| Anomoloma myceliosum (Peck) Niemelä & K.H. Larss. | 2 |
| Anomoporia kamtschatica (Parmasto) Bondartseva | 5 |
| Antrodia albidoides A. David & Dequat | 1 |
| Antrodia albobrunnea (Romell) Ryvarde | 1 |
| Antrodia alpina (Litsch.) Gilb. & Ryvarde | 2 |
| Antrodia carbonica (Overh.) Ryvarde & Gilb. | 2 |
| Antrodia heteromorpha (Fr.) Donk | 6 |
| Antrodia hyalina Spirin, Miettinen & Kotir. | 7 |
| Antrodia kuzyana (Pilát) Spirin & Vlasák | 6 |
| Antrodia labyrinthica (Bernicchia & Ryvarde) Ryvarde & Melo | 1 |
| Antrodia macra (Sommerf.) Niemelä | 4 |
| Antrodia mellita Niemelä & Penttilä | 2 |
| Antrodia oleracea (R.W. Davidson & Lombard) Ryvarde | 2 |
| Antrodia piceata K. Runnel, Spirin & Vlasák | 2 |
| Antrodia pulverulenta B. Rivoire | 1 |
| Antrodia pulvinascens (Pilát) Niemelä | 1 |
| Antrodia serialis (Fr.) Donk | 5 |
| Antrodia serpens (Fr.) P. Karst. | 7 |
| Antrodia sinuosa (Fr.) P. Karst. | 8 |
| Antrodia xantha (Fr.) Ryvarde | 9 |
| Antrodiella citrinella Niemelä & Ryvarde | 3 |
| Antrodiella faginea Vampola & Pouzar | 10 |
| Antrodiella ichnusana Bernicchia, Renvall & Arras | 4 |
| Antrodiella leucoxantha (Bres.) Miettinen & Niemelä | 2 |
| Antrodiella niemelaei Vampola & Vlasák | 3 |
| Antrodiella onychoides (Egeland) Niemelä | 6 |
| Antrodiella pallescens (Pilát) Niemelä & Miettinen | 4 |
| Antrodiella parasitica Vampola | 4 |
| Antrodiella romellii (Donk) Niemelä | 4 |
| Antrodiella serpula (P. Karst.) Spirin & Niemelä | 4 |

| | |
|---|---|
| Antrodiella subradula (Pilát) Niemelä & Miettinen | 1 |
| Auriporia aurulenta A. David, Tortič & Jelić | 5 |
| Bjerkandera adusta (Willd.) P. Karst. | 3 |
| Bjerkandera fumosa (Pers.) P. Karst. | 3 |
| Bondarzewia mesenterica (Schaeff.) Kreisel | 2 |
| Buglossoporus quercinus (Schrad.) Kotl. & Pouzar | 1 |
| Cartilosoma ramentaceum (Berk. & Broome) Teixeira | 6 |
| Cartilosoma rene-hentic B. Rivoire, Trichies & Vlasák | 7 |
| Ceriporia alachuana (Murrill) Hallenb. | 3 |
| Ceriporia alba M. Pieri & B. Rivoire | 1 |
| Ceriporia angulata Gomes-Silva, Ryvarden & Gibertoni | 1 |
| Ceriporia aurantiocarnescens (Henn.) M. Pieri & B. Rivoire | 6 |
| Ceriporia bresadolae (Bourdot & Galzin) Donk | 2 |
| Ceriporia camaresiana (Bourdot & Galzin) Bondartsev & Singer | 2 |
| Ceriporia excelsa (S. Lundell) Parmasto | 6 |
| Ceriporia ferrugineocincta (Murrill) Ryvarden | 1 |
| Ceriporia griseoviolascens M. Pieri & B. Rivoire | 2 |
| Ceriporia lacerata N. Maek., Suhara & R. Kondo | 2 |
| Ceriporia mellea (Berk. & Broome) Ryvarden | 1 |
| Ceriporia mellita (Bourdot) Bondartsev & Singer | 9 |
| Ceriporia purpurea (Fr.) Donk | 5 |
| Ceriporia reticulata (Hoffm.) Domański | 4 |
| Ceriporia spissa (Schwein.) Rajchenb. | 1 |
| Ceriporia tarda (Berk.) Ginns | 1 |
| Ceriporia triumphalis Spirin & Kout | 2 |
| Ceriporia viridans (Berk. & Broome) Donk | 4 |
| Ceriporia xylostromatoides (Berk.) Ryvarden | 2 |
| Ceriporiopsis aneirina (Sommerf.) Domański | 7 |
| Ceriporiopsis consobrina (Bres.) Ryvarden | 4 |
| Ceriporiopsis gilvescens (Bres.) Domański | 9 |
| Ceriporiopsis mucida (Pers.) Gilb. & Ryvarden | 4 |
| Ceriporiopsis pseudogilvescens (Pilát) Niemelä & Kinnunen | 4 |
| Ceriporiopsis resinascens (Romell) Domański | 6 |
| Ceriporiopsis subvermisporea (Pilát) Gilb. & Ryvarden | 1 |
| Ceriporiopsis umbrinescens (Murrill) Ryvarden | 1 |
| Cerrena gilbertsonii Ryvarden | 1 |
| Cerrena unicolor (Bull.) Murrill | 6 |
| Cerrena zonata (Berk.) H.S. Yuan | 2 |
| Cinereomyces lindbladii (Berk.) Jülich | 7 |
| Climacocystis borealis (Fr.) Kotl. & Pouzar | 3 |
| Climacodon septentrionalis (Fr.) P. Karst. | 2 |

| | |
|---|---|
| Coriolopsis aspera (Jungh.) Teng | 3 |
| Coriolopsis byrsina (Mont.) Ryvarden | 1 |
| Coriolopsis floccosa (Jungh.) Ryvarden | 8 |
| Coriolopsis gallica (Fr.) Ryvarden | 8 |
| Coriolopsis polyzona (Pers.) Ryvarden | 6 |
| Coriolopsis rigida (Berk. & Mont.) Murrill | 6 |
| Coriolopsis sanguinaria (Klotzsch) Teng | 2 |
| Coriolopsis strumosa (Fr.) Ryvarden | 1 |
| Coriolopsis telfarii (Klotzsch) Ryvarden | 1 |
| Coriolopsis trogii (Berk.) Domański | 7 |
| Daedalea quercina (L.) Pers. | 2 |
| Daedalea quercina f. trametea (Bourdot & Galzin) Bondartsev | 2 |
| Daedaleopsis confragosa (Bolton) J. Schröt. | 4 |
| Daedaleopsis confragosa var. tricolor (Bull.) Bondartsev & Singer | 2 |
| Datronia caperata (Berk.) Ryvarden | 3 |
| Datronia mollis (Sommerf.) Donk | 3 |
| Datronia stereoides (Fr.) Ryvarden | 1 |
| Dichomitus campestris (Quél.) Domański & Orlicz | 7 |
| Dichomitus squalens (P. Karst.) D.A. Reid | 2 |
| Diplomitoporus flavescens (Bres.) Domański | 4 |
| Donkia pulcherrima (Berk. & M.A. Curtis) Pilát | 2 |
| Donkioporia expansa (Desm.) Kotl. & Pouzar | 2 |
| Earliella scabrosa (Pers.) Gilb. & Ryvarden | 6 |
| Fibroporia bohemica Bernicchia, Vampola & Prodi | 5 |
| Fibroporia citrina (Bernicchia & Ryvarden) Bernicchia & Ryvarden | 4 |
| Fibroporia gossypium (Speg.) Parmasto | 7 |
| Fibroporia vaillantii (DC.) Parmasto | 4 |
| Fistulina hepatica (Schaeff.) With. | 1 |
| Flabellophora obovata (Jungh.) Nunez & Ryvarden | 2 |
| Flaviporus brownii (Humb.) Donk | 2 |
| Flaviporus liebmannii (Fr.) Ginns | 1 |
| Flavodon flavus (Klotzsch) Ryvarden | 4 |
| Fomes fomentarius (L.) Fr. | 1 |
| Fomitopsis cajanderi (P. Karst.) Kotl. & Pouzar | 2 |
| Fomitopsis carnea (Blume & Ness) Imazeki | 1 |
| Fomitopsis fei (Fr.) Kreisel | 2 |
| Fomitopsis iberica Melo & Ryvarden | 1 |
| Fomitopsis lilacinogilva (Berk.) J.E. Wright & J.R. Deschamps. | 1 |
| Fomitopsis nivosa (Berk.) Gilb. & Ryvarden | 3 |
| Fomitopsis pinicola (Sw.) P. Karst. | 2 |
| Fomitopsis pseudopetchii (Lloyd) Ryvarden | 1 |

| | |
|--|----|
| Fomitopsis rhodophaea (Lév.) Imazeki | 1 |
| Fomitopsis rosea (Alb. & Schwein.) P. Karst. | 5 |
| Fomitopsis spraguei (Berk. & M.A. Curtis) Gilb. & Ryvardeen | 1 |
| Frantisekia mentschulensis (Pilát) Spirin | 4 |
| Ganoderma adpersum (Schulzer) Donk | 6 |
| Ganoderma applanatum (Pers.) Pat. | 2 |
| Ganoderma boninense Pat. | 2 |
| Ganoderma carnosum Pat. | 5 |
| Ganoderma lobatum (Schwein.) G.F. Atk. | 1 |
| Ganoderma lucidum (Curtis) P. Karst. | 11 |
| Ganoderma pfeifferi Bres. | 2 |
| Ganoderma resinaceum Boud. | 4 |
| Ganoderma valesiacum Boud. | 1 |
| Gloeophyllum abietinum (Bull.) P. Karst. | 3 |
| Gloeophyllum imponens (Ces.) Teng | 1 |
| Gloeophyllum odoratum (Wulfen) Imazeki | 2 |
| Gloeophyllum protractum (Fr.) Imazeki | 1 |
| Gloeophyllum sepiarium (Wulfen) P. Karst. | 1 |
| Gloeophyllum striatum (Fr.) Murrill | 4 |
| Gloeophyllum trabeum (Pers.) Murrill | 4 |
| Gloeoporus dichrous (Fr.) Bres. | 3 |
| Gloeoporus pannocinctus (Romell) J. Erikss. | 6 |
| Gloeoporus theleporoides (Hook.) G. Cunn. | 1 |
| Grifola frondosa (Dicks.) Gray | 1 |
| Hapalopilus aurantiacus (Rostk.) Bondartsev & Singer | 5 |
| Hapalopilus eupatorii (P. Karst.) Spirin & Miettinen | 2 |
| Hapalopilus nidulans (Fr.) P. Karst. | 2 |
| Hapalopilus ochraceolateritius (Bondartsev) Bondartsev & Singer | 1 |
| Heterobasidion abietinum Niemelä & Korhonen | 2 |
| Heterobasidion annosum agg. | 1 |
| Heterobasidion annosum (Fr.) Bref. s. str. | 4 |
| Heterobasidion insularis (Murrill) Ryvardeen | 1 |
| Heterobasidion parviporum Niemelä & Korhonen | 3 |
| Hexagonia apiaria (Pers.) Fr. | 1 |
| Hexagonia glaber (P. Beauv.) Ryvardeen | 8 |
| Hexagonia hirta (Fr.) Fr. | 2 |
| Hexagonia hydnoides (Sw.) M. Fidalgo | 6 |
| Hexagonia papyracea Berk. | 1 |
| Hexagonia pobeguunii Har. | 1 |
| Hexagonia vesparia (Berk.) Ryvardeen | 1 |
| Humphreya coffeata (Berk.) Steyaert | 1 |

| | |
|---|----|
| Ischnoderma benzoinum (Wahlenb.) P. Karst. | 4 |
| Ischnoderma resinosum (Schrad.) P. Karst. | 4 |
| Ischnoderma trogii (Fr.) Donk | 1 |
| Jahnoporus hirtus (Cooke) Nuss | 1 |
| Junghuhnia carneola (Bres.) Rajchenb. | 1 |
| Junghuhnia collabens (Fr.) Ryvarden | 3 |
| Junghuhnia fimbriatella (Peck) Ryvarden | 2 |
| Junghuhnia lacera (P. Karst.) Niemelä & Kinnunen | 5 |
| Junghuhnia luteoalba (P. Karst.) Ryvarden | 3 |
| Junghuhnia nitida (Pers.) Ryvarden | 5 |
| Laccocephalum sclerotinum (Rodway) Núñez & Ryvarden | 1 |
| Laetiporus sulphureus (Bull.) Murrill | 1 |
| Laricifomes officinalis (Vill.) Kotl. & Pouzar | 2 |
| Lentinus crinitus (L.) Fr. | 1 |
| Lentinus polychrous Lév. | 1 |
| Lentinus sajor-caju (Fr.) Fr. | 1 |
| Lentinus stipiteus Klotzsch | 2 |
| Lentinus suavissimus Fr. | 1 |
| Lentinus tigrinus (Bull.) Fr. | 2 |
| Lenzites acutus Berk. | 5 |
| Lenzites betulinus (L.) Fr. | 3 |
| Lenzites vespaceus (Pers.) Pat. | 1 |
| Lenzites warnieri Durieu & Mont. | 2 |
| Leptoporus mollis (Pers.) Quél. | 3 |
| Lignosus rhinocerus (Cooke) Ryvarden | 1 |
| Megasporia amazonica (Gomes-Silva, Ryvarden & Gibertoni) C.R.S. Lira & Gibertoni | 1 |
| Megasporia variabilicolor C.R.S. Lira & Gibertoni | 2 |
| Meripilus giganteus (Pers.) P. Karst. | 1 |
| Microporus affinis (Blume & T. Nees) Kuntze | 5 |
| Microporus vernicipes (Berk.) Kuntze | 1 |
| Microporus xanthopus (Fr.) Kuntze | 4 |
| Neolentiporus squamosellus (Bernicchia & Ryvarden) Bernicchia & Ryvarden | 1 |
| Nigrofomes melanoporus (Mont.) Murrill | 1 |
| Nigroporus vinosus (Berk.) Murrill | 4 |
| Obba rivulosa (Berk. & M.A. Curtis) Miettinen & Rajchenb. | 2 |
| Osteina obducta (Berk.) Donk | 3 |
| Oxyporus cervinogilvus (Jungh.) Ryvarden | 2 |
| Oxyporus corticola (Fr.) Ryvarden | 10 |
| Oxyporus latemarginatus (Durieu & Mont.) Donk | 9 |
| Oxyporus obducens (Pers.) Donk | 9 |

| | |
|--|----|
| Oxyporus populinus (Schumach.) Donk | 4 |
| Oxyporus ravidus (Fr.) Bondartsev & Singer | 7 |
| Pachykytospora tuberculosa (Fr.) Kotl. & Pouzar | 2 |
| Parmastomyces mollissimus (Maire) Pouzar | 5 |
| Perenniporia fraxinea (Bull.) Ryvarden | 2 |
| Perenniporia medulla-panis (Jacq.) Donk | 5 |
| Perenniporia meridionalis Decock & Stalpers | 7 |
| Perenniporia mundula (Wakef.) Ryvarden | 1 |
| Perenniporia narymica (Pilát) Pouzar | 1 |
| Perenniporia ohiensis (Berk.) Ryvarden | 1 |
| Perenniporia rosmarini A. David & Malençon | 2 |
| Perenniporia subacida (Peck) Donk | 2 |
| Perenniporia tenuis var. pulchella (Schwein.) Gilb. & Ryvarden | 2 |
| Perenniporia tephropora (Mont.) Ryvarden | 4 |
| Phaeolus schweinitzii (Fr.) Pat. | 1 |
| Physisporinus furcatus (Núñez & Ryvarden) F. Wu, Jia J. Chen & Y.C. Dai | 1 |
| Physisporinus sanguinolentus (Alb. & Schwein.) Pilát | 2 |
| Physisporinus vitreus (Pers.) P. Karst. | 9 |
| Piloporia albomarginata (Lév.) Núñez | 2 |
| Piptoporus betulinus (Bull.) P. Karst. | 1 |
| Polyporus alveolaris (DC.) Bondartsev & Singer | 6 |
| Polyporus arcularius (Batsch) Fr. | 3 |
| Polyporus badius (Pers.) Schwein. | 3 |
| Polyporus brumalis (Pers.) Fr. | 3 |
| Polyporus choseniae (Vassilkov) Parmasto | 1 |
| Polyporus ciliatus Fr. | 1 |
| Polyporus grammocephalus Berk. | 3 |
| Polyporus leprieurii Mont. | 1 |
| Polyporus leptocephalus (Jacq.) Fr. | 2 |
| Polyporus melanopus (Pers.) Fr. | 4 |
| Polyporus meridionalis (A. David) H. Jahn | 1 |
| Polyporus tenuiculus (P. Beauv.) Fr. | 2 |
| Polyporus tricholoma Mont. | 2 |
| Polyporus tubaeformis (P. Karst.) Ryvarden & Gilb. | 3 |
| Polyporus tuberaster (Jacq.) Fr. | 6 |
| Polyporus ulleungus H. Lee, N.K. Kim & Y.W. Lim | 2 |
| Polyporus umbellatus (Pers.) Fr. | 2 |
| Postia alni Niemelä & Vampola | 10 |
| Postia balsamea (Peck) Jülich | 6 |
| Postia balsamina Niemelä & Y.C. Dai | 1 |
| Postia brunnea Rajchenb. & P.K. Buchanan | 1 |

| | |
|---|----|
| Postia caesia (Schrad.) P. Karst. | 4 |
| Postia calvenda nom. prov. | 1 |
| Postia ceriflua (Berk. & M.A. Curtis) Jülich | 5 |
| Postia cyanescens Miettinen | 1 |
| Postia davidae M. Pieri & B. Rivoire | 1 |
| Postia floriformis (Quél.) Jülich | 8 |
| Postia fragilis (Fr.) Jülich | 4 |
| Postia guttulata (Peck) Jülich | 4 |
| Postia hibernica (Berk. & Broome) Jülich | 2 |
| Postia leucomallella (Murrill) Jülich ss. auct. europ. | 8 |
| Postia lowei (Pilát) Jülich | 1 |
| Postia pelliculosa (Berk.) Rajchenb. | 1 |
| Postia ptychogaster (F. Ludw.) Vesterh. | 1 |
| Postia rennyi (Berk. & Broome) Rajchenb. | 5 |
| Postia romellii M. Pieri & B. Rivoire | 3 |
| Postia saxonica Dämmrich, Melo & B. Rivoire | 1 |
| Postia sericeomollis (Romell) Jülich | 1 |
| Postia simanii (Pilát) Jülich | 1 |
| Postia stiptica (Pers.) Jülich | 6 |
| Postia tephroleuca (Fr.) Jülich | 9 |
| Postia tephroleuca f. lactea (Kotl. & Pouzar) Pegler & E.M. Saunders | 2 |
| Postia undosa (Peck) Jülich | 4 |
| Pycnoporellus fulgens (Fr.) Donk | 4 |
| Pycnoporus cinnabarinus (Jacq.) P. Karst. | 3 |
| Pycnoporus sanguineus (Fr.) Murrill | 8 |
| Rhodonía placenta (Fr.) Niemelä, K.H. Larss. & Schigel | 10 |
| Rickiopora latemarginata (Rick) Westphalen, Tomšovský & Rajchenb. | 1 |
| Rigidoporus crocatus (Pat.) Ryvarden | 6 |
| Rigidoporus lineatus (Pers.) Ryvarden | 2 |
| Rigidoporus microporus (Fr.) Overeem | 7 |
| Rigidoporus pouzaríi Vampola & Vlasák | 3 |
| Rigidoporus ulmarius (Sowerby) Imazeki | 5 |
| Rigidoporus undatus (Pers.) Donk | 2 |
| Rigidoporus vinctus (Berk.) Ryvarden | 2 |
| Riopa metamorphosa (Fuckel) Miettinen & Spirin | 1 |
| Scenidium nitidum (Durieu & Mont.) Kuntze | 1 |
| Sidera lenis (P. Karst.) Miettinen | 3 |
| Sidera lunata (Romell ex Bourdot & Galzin) K.H. Larss. | 2 |
| Sidera vulgaris (Fr.) Miettinen | 6 |
| Skeletocutis albocrema A. David | 1 |
| Skeletocutis alutacea (J. Lowe) Jean Keller | 3 |

| | |
|--|---|
| Skeletocutis amorpha (Fr.) Kotl. & Pouzar | 6 |
| Skeletocutis biguttulata (Romell) Niemelä | 4 |
| Skeletocutis brevispora Niemelä | 1 |
| Skeletocutis carneogrisea A. David | 4 |
| Skeletocutis cummata A. Korhonen & Miettinen | 1 |
| Skeletocutis kuehneri A. David | 7 |
| Skeletocutis lilacina A. David & Jean Keller | 1 |
| Skeletocutis nemoralis A. Korhonen & Miettinen | 2 |
| Skeletocutis nivea agg. | 4 |
| Skeletocutis nivea (Jungh.) Jean Keller s. str. | 1 |
| Skeletocutis odora (Sacc.) Ginns | 2 |
| Skeletocutis papyracea A. David | 5 |
| Skeletocutis percandida (Malençon & Bertault) Jean Keller | 2 |
| Skeletocutis stellae (Pilát) Jean Keller | 5 |
| Spongipellis delectans (Peck) Murrill | 1 |
| Spongipellis pachyodon (Pers.) Kotl. & Pouzar | 3 |
| Spongipellis spumeus (Sowerby) Pat. | 3 |
| Theleporus calcicolor (Berk.) Ryvardeen | 3 |
| Tinctoporellus epimiltinus (Berk.) Ryvardeen | 3 |
| Trametes cervina (Schwein.) Bres. | 8 |
| Trametes cingulata Berk. | 6 |
| Trametes conchifer (Schwein.) Pilát | 1 |
| Trametes elegans (Spreng.) Fr. | 8 |
| Trametes gibbosa (Pers.) Fr. | 3 |
| Trametes hirsuta (Wulfen) Pilát | 5 |
| Trametes lactinea (Berk.) Pat. | 6 |
| Trametes leonina (Klotzsch) Imazeki | 1 |
| Trametes ljubarskyi Pilát | 1 |
| Trametes marianna (Pers.) Ryvardeen | 2 |
| Trametes maxima (Mont.) A. David & Rajchenb. | 4 |
| Trametes membranacea (Sw.) Kreisel | 1 |
| Trametes menziesii (Berk.) Ryvardeen | 5 |
| Trametes meyenii (Klotzsch) Lloyd | 1 |
| Trametes modesta (Fr.) Ryvardeen | 4 |
| Trametes ochracea (Pers.) Gilb. & Ryvardeen | 4 |
| Trametes pavonia (Hook.) Ryvardeen | 7 |
| Trametes pocas (Berk.) Ryvardeen | 3 |
| Trametes pubescens (Schumach.) Pilát | 9 |
| Trametes suaveolens Fr. | 4 |
| Trametes subalutacea Bourdot & Galzin | 3 |
| Trametes velutina (Pers.) G. Cunn. | 4 |

| | |
|---|---|
| Trametes versicolor (L.) Lloyd | 6 |
| Trametes villosa (Fr.) Kreisel | 5 |
| Trichaptum abietinum (Pers.) Ryvarden | 5 |
| Trichaptum biforme (Fr.) Ryvarden | 3 |
| Trichaptum byssogenum (Jungh.) Ryvarden | 4 |
| Trichaptum durum (Jungh.) Corner | 3 |
| Trichaptum hollii (J.C. Schmidt) Kreisel | 5 |
| Trichaptum laricinum (P. Karst.) Ryvarden | 1 |
| Trichaptum polycystidiatum (Pilát) Y.C. Dai asiatische Art | 1 |
| Trichaptum sector (Ehrenb.) Kreisel | 2 |
| Truncospora atlantica Spirin & Vlasák | 3 |
| Tyromyces alborubescens (Bourdot & Galzin) Bondartsev | 1 |
| Tyromyces chioneus (Fr.) P. Karst. | 6 |
| Tyromyces fissilis (Berk. & M.A. Curtis) Donk | 2 |
| Tyromyces fumidiceps G.F. Atk. | 3 |
| Tyromyces kmetii (Bres.) Bondartsev & Singer | 8 |
| Tyromyces wakefieldiae Kotl. & Pouzar | 3 |
| Tyromyces wynneae (Berk. & Broome) Donk | 1 |